

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	45860	(power near2 amplifier).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 08:26
L2	3	1 and (serial near2 interface near2 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 08:26
L3	25	1 and (pin near2 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 08:27
L4	9	1 and (pin near2 control near2 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 08:28
L5	3	3 and (serial near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 08:30
L6	467003	(amplifier).ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 08:31
L7	8	6 and (serial near2 interface near2 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 08:31
L8	13	6 and (serial near2 (interface bus) near2 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 08:33
L9	14	6 and (pin near2 control near2 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 08:36

L10	4	9 and (serial near2 (bus interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 08:36
L11	121	6 and (pin near2 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 08:38
L12	15	11 and (serial near2 (bus interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 08:38
L13	276	1 and (serial near9 (bus interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 08:59
L14	5	13 and (pin near3 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 08:59
L15	6	("5408698"   "5559501"   "5636140"   "5937018"   "6278864"   "6792256").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/03 09:09
L16	6	("5408698"   "5559501"   "5636140"   "5937018"   "6278864"   "6792256").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/03 09:16
L17	190	1 and ((digital serial) near9 (bus interface) near9 (control mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 09:19
L18	3	17 and (pin near2 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 09:19
L19	7	17 and (external near3 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 09:19

L20	10	18 19	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 09:20
L21	36	17 and ((external pin) near3 (control mode))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 09:23
L22	5572	6 and ((external pin) near3 (control mode))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 09:33
L23	256	22 and ((digital serial) near9 (bus interface) near9 (control mode))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 09:34
L24	113	22 and ((digital serial) near3 (bus interface) near3 (control mode))	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 09:34
L25	69	24 and (gain near4 control\$5)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 09:36
L26	3	(amplifier and serial and interface and pin and control and mode). ti,ab.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 10:26
L27	22	(amplifier and serial and interface and pin and control and mode). clm.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 10:31
L28	1	(amplifier with pin with (control mode) with internal with voltage). clm.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 10:47
L29	25	(amplifier with pin with (control mode) with internal with voltage)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 10:47

L30	9	"5101173".pn. "6605999".pn. "6721370".pn. "20030155978"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 11:24
L31	11	"5101173".pn. "6605999".pn. "6721370".pn. "20030155978" "6894266".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 11:30
L32	2	"5724009".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 11:49
L33	4	1 and (pin near2 (select\$6) near2 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 11:59
L34	64	1 and (pin near9 (select\$6 control\$5) near9 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 12:01
L35	3	34 and ((serial digital) near2 interface near2 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 12:02
L36	7	34 and ((serial digital) near2 interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 12:02

12/ 3/ 08 12:11:24 PM

C:\Documents and Settings\DNgyuen7\My Documents\EAST\Workspaces\activeinductor.  
wsp